


AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listing, of claims in the application:

Listing of Claims:

Please amend the claims as follows:



Claim 1. (Presently amended) A compound of formula I:



or a pharmaceutically acceptable salt thereof, wherein:

X is oxygen or sulfur;

G is G2 or G3:



L_2 is a C_{2-6} alkylidene chain optionally substituted by 1-3 R^6 , wherein the alkylidene chain is optionally interrupted by $-C(R^{11})_2-$, $-C(R^{11})_2C(R^{11})_2-$, $-C(R^{11})=C(R^{11})-$, $-C\equiv C-$, $-O-$, $-S-$, $-N(R^{11})_2-$, $-N(R^{10})CO-$, $-N(R^{10})CO_2-$, $-CON(R^{10})-$, $-C(R^{11})(OR^1)-$, $-CO-$, $-CO_2-$, $-OC(=O)-$, $-OC(=O)N(R^{10})-$, $-SO-$, $-SO_2-$, $-N(R^{10})SO_2-$ or $-SO_2N(R^{10})-$, and wherein L_2 or a portion thereof optionally forms part of a 3-7 membered ring;

L_3 is a direct link, a C_{0-6} alkylidene chain optionally substituted by 1-3 R^6 , wherein the alkylidene chain is optionally interrupted by $-C(R^{11})_2-$, $-C(R^{11})_2C(R^{11})_2-$, $-C(R^{11})=C(R^{11})-$, $-C\equiv C-$, $-O-$, $-S-$, $-N(R^{11})$, $-N(R^{10})CO-$, $-N(R^{10})CO_2-$, $-CON(R^{10})-$,

$-\text{C}(\text{R}^{11})(\text{OR}^1)-$, $-\text{CO}-$, $-\text{CO}_2-$, $-\text{OC}(=\text{O})-$, $-\text{OC}(=\text{O})\text{N}(\text{R}^{10})-$, $-\text{SO}-$, $-\text{SO}_2-$, $-\text{N}(\text{R}^{10})\text{SO}_2-$, or $-\text{SO}_2\text{N}(\text{R}^{10})-$, and wherein L_3 or a portion thereof optionally forms part of a 3-7 membered ring;

R^1 is hydrogen or C_{1-6} aliphatic;

each R^2 is independently selected from hydrogen, C_{1-8} aliphatic, C_{6-10} aryl, C_{7-10} aralkyl, or, when Ring C is a 6-membered aromatic ring R^2 is a lone electron pair;

R^3 is hydrogen, C_{1-8} aliphatic, C_{6-10} aryl, or C_{7-10} aralkyl;

R^4 is hydrogen, C_{1-8} aliphatic, $\text{C}=\text{O}(\text{C}_{1-8}$ aliphatic), $\text{CO}_2(\text{C}_{1-8}$ aliphatic), $\text{C}(=\text{O})\text{N}(\text{R}^{10})(\text{C}_{1-7}$ aliphatic), C_{6-10} aryl, heteroaryl, C_{7-12} aralkyl, or heteroaralkyl;

R^5 is hydrogen or C_{1-8} aliphatic, or R^4 and R^5 taken together with their intervening nitrogen form a substituted or unsubstituted, aromatic or non-aromatic, 4-14 membered monocyclic, bicyclic or tricyclic ring system having, in addition to said intervening nitrogen, 0-4 ring heteroatoms selected from nitrogen, sulfur or oxygen;

Ring A is phenyl or thienyl ~~a 5-membered heteroaryl ring or a 6-membered aromatic ring having 0-2 ring nitrogen atoms, wherein Q and $\text{C}(=\text{X})\text{N}(\text{R}^1)-\text{G}$ are attached at ortho positions on Ring A and wherein Ring A is optionally substituted by one to three R^7 ;~~

Ring B is phenyl or benzofuranyl, ~~a 6-membered aromatic ring having 0-2 ring nitrogen atoms, wherein Ring B is optionally substituted by one or more R^8 ;~~

Q is a C_2 - C_4 alkylidene chain optionally substituted by one to three R^9 , ~~wherein a methylene unit of the alkylidene chain is optionally replaced by $-\text{S}-$, $-\text{S}(\text{O})-$, $-\text{SO}_2-$, $-\text{N}(\text{R}^1)-$, $-\text{O}-$, $-\text{C}(\text{O})-$, or $-\text{C}(\text{S})-$;~~

each R^6 is independently selected from halo, $-\text{OR}^1$, $-\text{CN}$, $-\text{C}_{1-6}$ aliphatic, $-\text{N}(\text{R}^{10})_2$, $-\text{C}=\text{O}(\text{C}_{1-5}$ aliphatic), $-\text{CO}_2\text{R}^1$, $-\text{CH}_2\text{CO}_2\text{R}^1$, or $-\text{C}(=\text{O})\text{N}(\text{R}^{10})(\text{C}_{1-5}$ aliphatic);

each R^7 is independently selected from -halo, $-\text{NO}_2$, $-\text{CN}$, or a substituted or unsubstituted group selected from $-\text{R}^{12}$, $-\text{OR}^1$, $-\text{SR}^{12}$, $-\text{C}_{6-10}$ aryl, -heterocyclyl, -heteroaryl, $-\text{C}_{6-10}$ aryl)alkyl, -(heterocyclyl)alkyl, -(heteroaryl)alkyl, $-\text{N}(\text{R}^{10})_2$, $-\text{NR}^{10}\text{C}(\text{O})\text{R}^1$, $-\text{NR}^{10}\text{C}(\text{O})\text{N}(\text{R}^{10})_2$, $-\text{NR}^{10}\text{CO}_2\text{R}^{12}$, $-\text{CO}_2\text{R}^1$, $-\text{C}(\text{O})\text{R}^1$, $\text{C}(\text{O})\text{N}(\text{R}^{10})_2$, $-\text{OC}(\text{O})\text{N}(\text{R}^{10})_2$, $-\text{S}(\text{O})_2\text{R}^{12}$, $-\text{SO}_2\text{N}(\text{R}^{10})$.sub-.2, $-\text{S}(\text{O})_2\text{R}^{12}$, $-\text{NR}^{10}\text{SO}_2\text{N}(\text{R}^{10})_2$, $-\text{NR}^{10}\text{SO}_2\text{R}^{12}$, or $-\text{C}(=\text{NH})-\text{N}(\text{R}^{10})_2$ or two adjacent R^7 taken together with their intervening atoms form a 5-6 membered unsaturated or partially unsaturated ring having 0-2 ring heteroatoms selected from nitrogen, oxygen or sulfur;

each R^8 is independently selected from -halo, $-NO_2$, $-CN$, or a substituted or unsubstituted group selected from $-R^{12}$, $-OR^1$, $-SR^{12}$, $-C_{6-10}$ aryl, -heterocyclyl, -heteroaryl, $-C_{6-10}$ aryl)alkyl, -(heterocyclyl)alkyl, -(heteroaryl)alkyl, $-N(R^{10})_2$, $-NR^{10}C(O)R^1$, $-NR^{10}C(O)N(R^{10})_2$, $-NR^{10}CO_2R^{12}$, $-CO_2R^1$, $-C(O)R^1$, $-C(O)N(R^{10})_2$, $-OC(O)N(R^{10})_2$, $-S(O)_2R^{12}$, $-SO_2N(R^{10})_2$, $-S(O)R^{12}$, $-NR^{10}SO_2N(R^{10})_2$, $-NR^{10}SO_2R^{12}$, or $-C(=NH)-N(R^{10})_2$, or two adjacent R^8 taken together with their intervening atoms form a 5-6 membered unsaturated or partially unsaturated ring having 0-2 ring heteroatoms selected from nitrogen, oxygen or sulfur;

each R^9 is independently selected from halo, OR^1 , CN , C_{1-6} aliphatic, $N(R^{10})_2$, $-C=O(C_{1-5}$ aliphatic), $CO_2(C_{1-5}$ aliphatic), or $C(=O)N(R^{10})(C_{1-5}$ aliphatic), or R^9 and an R^7 , at a position ortho to Q, are taken together with their intervening atoms form a 5-7 membered unsaturated or partially unsaturated ring having 0-2 ring heteroatoms selected from N, O or S;

each R^{10} is independently selected from hydrogen, a substituted or unsubstituted C_{1-8} aliphatic group, $C(=O)R^1$, CO_2R^1 , SO_2R^1 , or two R^{10} on the same nitrogen taken together with the nitrogen form a 5-8 membered aromatic or non-aromatic ring having, in addition to the nitrogen, 0-2 ring heteroatoms selected from N, O, or S;

each R^{11} is independently selected from hydrogen, CO_2R^{12} , $CON(R^{12})_2$, OR^{12} , or a substituted or unsubstituted C_{1-8} aliphatic group;

each R^{12} is independently selected from a substituted or unsubstituted C_{1-8} aliphatic group;

and R^{14} is hydrogen, C_{1-8} aliphatic, C_{6-10} aryl, heteroaryl, C_{7-12} aralkyl, heteroaralkyl, heterocyclyl, or R^3 and R^{14} taken together with their intervening nitrogens form a substituted or unsubstituted, aromatic or non-aromatic, 4-14 membered monocyclic, bicyclic or tricyclic ring system having, in addition to said intervening nitrogen, 0-4 ring heteroatoms selected from nitrogen, sulfur or oxygen; with the proviso that L_3-R^{14} , taken together is not H.

Claims 2-6 (Canceled)

Claim 7. (Presently amended) The compound or salt of claim 1 wherein G is G2.

Claim 8. (Presently amended) The compound or salt of claim 7 having one or more features selected from the group consisting of:

- (a) X is oxygen;
- (b) L₂ is a C₃₋₄ alkylidene chain;
- (c) Q is -CH₂CH₂-;
- (d) (i) R⁴ and R⁵ are each independently selected from a C₁₋₄ aliphatic group, or (ii) R⁴ And R⁵ taken together with their intervening nitrogen form a 5-6 membered ring, or (iii) R⁵ is a C₁₋₄ aliphatic group and R⁴ is aryl, aralkyl, heteroaryl, or heteroaralkyl; and
- (e) ~~Ring A is an optionally substituted phenyl or thienyl; and~~
- ~~(f) Ring B is a substituted phenyl or naphthyl.~~

Claim 9. (Presently amended) The compound or salt of claim 7 wherein:

- (a) X is oxygen;
- (b) L₂ is a C₃₋₄ alkylidene chain;
- (c) Q is -CH₂CH₂-;
- (d) (i) R⁴ and R⁵ are each independently selected from a C₁₋₄ aliphatic group, or (ii) R⁴ and R⁵ taken together with their intervening nitrogen form a 5-6 membered ring, or (iii) R⁵ is a C₁₋₄ aliphatic group and R⁴ is aryl, aralkyl, heteroaryl, or heteroaralkyl;
- (e) Ring A is phenyl or thienyl; and
- (f) Ring B is phenyl ~~or naphthyl~~.

Claim 10. (Presently amended) The compound or salt of claim 7 having one or more features selected from the group consisting of:

- (a) X is oxygen;
- (b) L₂ is -CH₂CH₂CH₂- or -CH(CH₃)CH₂CH₂-;
- (c) Q is -CH₂CH₂-;
- (d) R⁴ and R⁵ are each independently selected from a C₁₋₃ aliphatic group or R⁴ and R⁵ taken together with their intervening nitrogen form a piperidinyl, pyrrolidinyl, piperazinyl or morpholinyl ring; and
- (e) ~~Ring A is an optionally substituted phenyl or thienyl; and~~
- ~~(f) Ring B is a substituted phenyl or naphthyl.~~

Claim 11. (Presently amended) The compound or salt of claim 7 wherein:

- (a) X is oxygen;
- (b) L₂ is -CH₂CH₂CH₂- or -CH(CH₃)CH₂CH₂-;
- (c) Q is -CH₂CH₂-;
- (d) R⁴ and R⁵ are each independently selected from a C₁₋₃ aliphatic group or R⁴ and R⁵ taken together with their intervening nitrogen form a piperidinyl, pyrrolidinyl, piperazinyl or morpholinyl ring; and
- (e) ~~Ring A is an optionally substituted phenyl or thienyl; and~~
- ~~(f) Ring B is a substituted phenyl or naphthyl.~~

Claim 12. (Presently amended) The compound or salt of claim 1 wherein G is G3.

Claim 13. (Presently amended) The compound or salt of claim 12 having one or more features selected from the group consisting of:


- (a) X is oxygen;
- (b) L₃ is selected from a direct link, -CH₂-, -CH(R⁶)-, -CH₂CH₂-, -CH₂CH₂CH₂-, -CH₂CH₂CH₂CH₂-;
- (c) Q is -CH₂CH₂-;
- (d) R⁵ is C₁₋₃ alkyl, CO₂H, CO₂(C₁₋₆alkyl), CH₂CO₂H, or CH₂CO₂(C₁₋₆ alkyl);
- (e) R¹⁴ is selected from a C₁₋₆ aliphatic group or a 5-6 membered heterocyclic ring; and
- (f) ~~Ring A is an optionally substituted phenyl or thienyl; and~~
- ~~(g) Ring B is a substituted phenyl or naphthyl.~~

Claim 14. (Presently amended) The compound or salt of claim 12 having one or more features selected from the group consisting of:


- (a) X is oxygen;
- (b) L₃ is -CH₂- or -CH(R⁶)-;
- (c) R⁶ is C₁₋₃ alkyl, CO₂H, CO₂(C₁₋₆ alkyl), CH₂CO₂H, or CH₂CO₂(C₁₋₆ alkyl);
- (d) R¹⁴ is a 5-6 membered heterocyclic ring having a ring nitrogen and 0-1 additional ring heteroatoms selected from N, O or S;

- (e) Q is $-\text{CH}_2\text{CH}_2-$; and
(f) ~~Ring A is an optionally substituted phenyl or thienyl; and~~
~~(g) Ring B is a substituted phenyl or naphthyl.~~

Claim 15. (Presently amended) The compound or salt of claim 1 represented by formulae II-C or II-D:



II-C



II-D

wherein:

R^1 and R^2 are each hydrogen;

R^3 is hydrogen;

~~L_1 is $-\text{CH}_2\text{CH}_2-$ or $-\text{CH}_2\text{CH}_2\text{CH}_2-$;~~

L_2 is $-\text{CH}_2\text{CH}_2\text{CH}_2-$, $-\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2-$, $-\text{CH}(\text{CH}_3)\text{CH}_2\text{CH}_2-$, or $-\text{CH}(\text{CH}_3)\text{CH}_2\text{CH}_2\text{CH}_2$;

L_3 is a direct link, $-\text{CH}_2-$, $-\text{CH}(\text{R}^6)-$, $-\text{CH}_2\text{CH}_2-$, $-\text{CH}_2\text{CH}_2\text{CH}_2-$, or $-\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2-$;

R^6 is C_{1-3} alkyl, CO_2H , $\text{CO}_2(\text{C}_{1-6}$ alkyl), $\text{CH}_2\text{CO}_2\text{H}$, or $\text{CH}_2\text{CO}_2(\text{C}_{1-6}$ alkyl);

R^7 is absent or is one to three of -halo, $-\text{NO}_2$, $-\text{CN}$, $-\text{R}^{12}$, $-\text{OR}^1$, $-\text{SR}^{12}$, $-\text{C}_{6-10}$ aryl, -

heterocyclyl, -heteroaryl, $-(\text{C}_{6-10}$ aryl)alkyl, -(heterocyclyl)alkyl, -(heteroaryl)alkyl, -

$\text{N}(\text{R}^{10})_2$, $-\text{NR}^{10}\text{C}(\text{O})\text{R}^1$, $-\text{NR}^{10}\text{C}(\text{O})\text{N}(\text{R}^{10})_2$, $-\text{NR}^{10}\text{CO}_2\text{R}^{12}$, $-\text{CO}_2\text{R}^1$, $-\text{C}(\text{O})\text{R}^1$, -

$\text{C}(\text{O})\text{N}(\text{R}^{10})_2$, $-\text{OC}(\text{O})\text{N}(\text{R}^{10})_2$, $-\text{S}(\text{O})_2\text{R}^{12}$, $-\text{SO}_2\text{N}(\text{R}^{10})_2$, $-\text{S}(\text{O})\text{R}^{12}$, $-\text{NR}^{10}\text{SO}_2\text{N}(\text{R}^{10})_2$, -

$\text{NR}^{10}\text{SO}_2\text{R}^{12}$, or $-\text{C}(=\text{NH})-\text{N}(\text{R}^{10})_2$; ~~or two adjacent R^7 taken together with their~~

~~intervening atoms form a 5-6 membered unsaturated or partially unsaturated ring having~~

~~0-2 heteroatoms selected from nitrogen, oxygen or sulfur;~~

R^8 is one or more of -halo, $-\text{NO}_2$, $-\text{CN}$, or a substituted or unsubstituted group selected from

$-\text{R}^{12}$, $-\text{OR}^1$, $-\text{SR}^{12}$, $-\text{C}_{6-10}$ aryl, -heterocyclyl, -heteroaryl, $-(\text{C}_{6-10}$ aryl)alkyl, -

(heterocyclyl)alkyl, -heteroaryl)alkyl, $-\text{N}(\text{R}^{10})_2$, $-\text{NR}^{10}\text{C}(\text{O})\text{R}^1$, $-\text{NR}^{10}\text{C}(\text{O})\text{N}(\text{R}^{10})_2$, -

$\text{NR}^{10}\text{CO}_2\text{R}^{12}$, $-\text{CO}_2\text{R}^1$, $-\text{C}(\text{O})\text{R}^1$, $-\text{C}(\text{O})\text{N}(\text{R}^{10})_2$, $-\text{OC}(\text{O})\text{N}(\text{R}^{10})_2$, $-\text{S}(\text{O})_2\text{R}^{12}$, $-\text{SO}_2\text{N}(\text{R}^{10})_2$, $-\text{S}(\text{O})\text{R}^{12}$, $-\text{NR}^{10}\text{SO}_2\text{N}(\text{R}^{10})_2$, $-\text{NR}^{10}\text{SO}_2\text{R}^{12}$, or $-\text{C}(=\text{NH})-\text{N}(\text{R}^{10})_2$, or two adjacent R^8 taken together with their intervening atoms form a ~~5-6 membered unsaturated or partially unsaturated ring having 0-2 heteroatoms selected from nitrogen, oxygen or sulfur~~ furan ring;

R^4 and R^5 (i) are each independently selected from a C_{1-4} aliphatic group, or (ii) R^4 and R^5 taken together with their intervening nitrogen form a 5-6 membered ring, or (iii) R^4 is a C_{1-4} aliphatic group and R^5 is aryl, aralkyl, heteroaryl, or heteroaralkyl;

R^{14} is a C_{1-6} aliphatic or 5-6 membered heterocyclic ring or ~~R^{13}~~ R^3 and R^{14} taken together with their intervening nitrogens form a 4-6 membered ring;

each R^{10} is independently selected from hydrogen, a substituted or unsubstituted C_{1-8} aliphatic group, $\text{C}(=\text{O})\text{R}^1$, CO_2R^1 , SO_2R^1 , or two R^{10} on the same nitrogen taken together with the nitrogen form a 5-8 membered aromatic or non-aromatic ring having, in addition to the nitrogen, 0-2 ring heteroatoms selected from N, O, or S;

~~each R^{11} is independently selected from hydrogen or an optionally substituted C_{1-8} aliphatic group;~~ and

each R^{12} is independently selected from a substituted or unsubstituted C_{1-8} aliphatic group.

Claim 16. (Presently amended) The compound or salt of claim 15 wherein:

R^1 and R^2 are each hydrogen;

R^3 is hydrogen;

~~L_1 is $-\text{CH}_2\text{CH}_2-$ or $-\text{CH}_2\text{CH}_2\text{CH}_2-$;~~

L_2 is $-\text{CH}_2\text{CH}_2\text{CH}_2-$, $-\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2-$, $-\text{CH}(\text{CH}_3)\text{CH}_2\text{CH}_2-$, or $-\text{CH}(\text{CH}_3)\text{CH}_2\text{CH}_2\text{CH}_2-$;

L_3 is a direct link, $-\text{CH}_2-$, $-\text{CH}(\text{R}^6)-$, $-\text{CH}_2\text{CH}_2-$, $-\text{CH}_2\text{CH}_2\text{CH}_2-$, or $-\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2-$;

R^6 is CO_2H , $\text{CO}_2(\text{C}_{1-6} \text{ alkyl})$, $\text{CH}_2\text{CO}_2\text{H}$, or $\text{CH}_2\text{CO}_2(\text{C}_{1-6} \text{ alkyl})$;

R^7 is absent or is -halo, $-\text{CN}$, $-\text{R}^{12}$, $-\text{OR}^1$, $-\text{SR}^{12}$, $-\text{N}(\text{R}^{10})_2$, $-\text{NR}^{10}\text{C}(\text{O})\text{R}^1$,

$-\text{NR}^{10}\text{C}(\text{O})\text{N}(\text{R}^{10})_2$, $-\text{NR}^{10}\text{CO}_2\text{R}^{12}$, $-\text{CO}_2\text{R}^1$, $-\text{C}(\text{O})\text{R}^1$, $-\text{C}(\text{O})\text{N}(\text{R}^{10})_2$, $[-\text{OC}(\text{O})\text{N}(\text{R}^{11})_2-]$, $-\text{OC}(\text{O})\text{N}(\text{R}^{10})_2$, $-\text{S}(\text{O})_2\text{R}^{12}$, $-\text{SO}_2\text{N}(\text{R}^{10})_2$, $-\text{S}(\text{O})\text{R}^{12}$, $-\text{NR}^{10}\text{SO}_2\text{N}(\text{R}^{10})_2$, or $-\text{NR}^{10}\text{SO}_2\text{R}^{12}$;

R^8 is -halo, $-\text{CN}$, or a substituted or unsubstituted group selected from $-\text{R}^{12}$, $-\text{OR}^1$, $-\text{SR}^{12}$,

$-\text{N}(\text{R}^{10})_2$, $-\text{NR}^1$, $-\text{C}(\text{O})\text{R}^1$, $-\text{NR}^{10}\text{CO}_2\text{R}^{12}$, $-\text{CO}_2\text{R}^1$, $-\text{C}(\text{O})$, $-\text{C}(\text{O})\text{N}(\text{R}^{10})_2$,

$-\text{OC}(\text{O})\text{N}(\text{R}^{10})\text{R}^{12}$, $-\text{S}(\text{R}^{10})_2\text{R}^{12}$, $-\text{SO}_2\text{N}(\text{R}^{10})_2$, $-\text{S}(\text{O})\text{R}^{12}$, $-\text{NR}^{10}\text{SO}_2\text{N}(\text{R}^{10})_2$, or

$\text{-NR}^{10}\text{SO}_2\text{R}^{12}$, or two adjacent R^8 taken together with their intervening atoms form a 5-6 membered unsaturated or partially unsaturated ring having 0-2 heteroatoms selected from nitrogen, oxygen or sulfur furan ring;

R^4 and R^5 are each independently selected from C_{1-3} alkyl or R^4 and R^5 taken together with their intervening nitrogen form a 5-6 membered ring;

R^{14} is a C_{1-6} aliphatic or a 5-6 membered heterocyclic ring having a ring nitrogen and 0-1 additional ring heteroatoms selected from N, O or S;

each R^{10} is hydrogen;

each R^{11} is independently selected from hydrogen or an optionally substituted C_{1-5} aliphatic group; and

each R^{12} is independently selected from a substituted or unsubstituted C_{1-5} aliphatic group.

Claim 17. (Presently amended) The compound or salt of claim 16 wherein:


R^7 is absent or is halo;

Ring B is a phenyl ring having two R^8 substituents that are para to one another ~~or Ring B is a naphthyl ring~~; and

each R^8 is independently selected from halo, C_{1-4} alkyl, C_{1-3} alkoxy, $\text{CO}(\text{C}_{1-3}$ alkyl), $\text{CONH}(\text{C}_{1-3}$ alkyl), $\text{SO}_2(\text{C}_{1-3}$ alkyl), or $\text{SO}_2\text{NH}(\text{C}_{1-3}$ alkyl).


Claim 18. (Presently Amended) The compound or salt of claim 1 represented by formulae ~~III~~ III-C or III-D:

III-A



III-C

III-B



III-D

or

wherein:

R^1 , and R^2 are each hydrogen;

R^3 is hydrogen;

~~L_1 is CH_2CH_2 or $\text{CH}_2\text{CH}_2\text{CH}_2$;~~

L_2 is $\text{CH}_2\text{CH}_2\text{CH}_2$ -, $\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2$ -, $\text{CH}(\text{CH}_3)\text{CH}_2\text{CH}_2$ -, or $\text{CH}(\text{CH}_3)\text{CH}_2\text{CH}_2\text{CH}_2$ -;

L_3 is a direct link, CH_2 -, or CH_2CH_2 -;

R^7 is absent or is one to three -halo, CO_2R^1 , $\text{C(O)}R^1$, or $\text{C(O)}\text{N(R}^{10})_2$, ~~or two adjacent R^7 taken together with their intervening atoms form a 5-6 membered unsaturated or partially unsaturated ring having 0-2 heteroatoms selected from nitrogen, oxygen or sulfur;~~

R^8 is one or more -halo, NO_2 , CN , or a substituted or unsubstituted group selected from R^{12} , OR^1 , SR^{12} , C_{6-10} aryl, -heterocyclyl, -heteroaryl, C_{6-10} aryl alkyl, - (heterocyclyl)alkyl, -heteroaryl alkyl, $\text{N(R}^{10})_2$, $\text{NR}^{10}\text{C(O)}R^1$, $\text{NR}^{10}\text{C(O)}\text{N(R}^{10})_2$, $\text{NR}^{10}\text{CO}_2R^{12}$, CO_2R^1 , $\text{C(O)}R^1$, $\text{C(O)}\text{N(R}^{10})_2$, $\text{OC(O)}\text{N(R}^{10})_2$, S(O)_2R^{12} , $\text{SO}_2\text{N(R}^{10})_2$, $\text{S(O)}R^{12}$, $\text{NR}^{10}\text{SO}_2\text{N(R}^{10})_2$, $\text{NR}^{10}\text{SO}_2R^{12}$, ~~or~~ $\text{C(=NH)}\text{N(R}^{10})_2$, or two adjacent R^8 taken together with their intervening atoms form a ~~5-6 membered unsaturated or partially unsaturated ring having 0-2 heteroatoms selected from nitrogen, oxygen or sulfur~~ furan ring;

R^4 and R^5 are each independently selected from C_{1-3} alkyl or R^4 and R^5 taken together with their intervening nitrogen form a 5-6 membered ring;

R^{14} is a C_{1-6} aliphatic or a 5-6 membered heterocyclic ring having a ring nitrogen and 0-1 additional ring heteroatoms selected from N, O or S;

each R^{10} is independently selected from hydrogen, a substituted or unsubstituted C_{1-8} aliphatic group, $\text{C(=O)}R^1$, CO_2R^1 , SO_2R^1 , or two R^{10} on the same nitrogen taken together with the nitrogen form a 5-8 membered aromatic or non-aromatic ring having, in addition to the nitrogen, 0-2 ring heteroatoms selected from N, O, or S;

~~each R^{11} is independently selected from hydrogen or an optionally substituted C_{1-8} aliphatic group;~~ and

each R^{12} is independently selected from a substituted or unsubstituted C_{1-8} aliphatic group.

Claim 19. (Presently Amended) The compound or salt of claim 18 wherein:

R^1 , R^2 , and R^3 are each hydrogen;

~~L₁ is -CH₂CH₂- or -CH₂CH₂CH₂-;~~

L₂ is -CH₂CH₂CH₂-, -CH₂CH₂CH₂CH₂-, -CH(CH₃)CH₂CH₂-, or
-CH(CH₃)CH₂CH₂CH₂;

L₃ is a direct link, -CH₂-, or -CH₂CH₂-;

R⁷ is absent;

R⁸ is -halo, -CN, or a substituted or unsubstituted group selected from -R¹², -OR¹, -SR¹²,
-N(R¹⁰)₂, -NR¹⁰C(O)R¹, -NR¹⁰CO₂R¹², -CO₂R¹, -C(O)R¹, -O(O)N(R¹⁰)₂,
-OC(O)N(R¹⁰)₂, -S(O)₂R¹², -SO₂N(R¹⁰)₂, -S(O)R¹², -NR¹⁰SO₂N(R¹⁰)₂, or -NR¹⁰SO₂R¹²,
or two adjacent R⁸ taken together with their intervening atoms form a ~~5-6 membered~~
~~unsaturated or partially unsaturated ring having 0-2 heteroatoms selected from nitrogen,~~
~~oxygen or sulfur~~ furan ring;

R⁴ and R⁵ are each independently selected from C₁₋₃ alkyl or R⁴ and R⁵ taken together with
their intervening nitrogen form a 5-6 membered ring;

R¹⁴ is a C₁₋₆ aliphatic or a 5-6 membered heterocyclic ring having a ring nitrogen and 0-1
additional ring heteroatoms selected from N, O or S;

each R¹⁰ is hydrogen;

~~each R¹¹ is independently selected from hydrogen or an optionally substituted C₁₋₅ aliphatic~~
~~group;~~ and

each R¹² is independently selected from a substituted or unsubstituted C₁₋₅ aliphatic group.









Claim 20. (Presently amended) The compound or salt of claim 18 wherein:





Ring B is a phenyl ring having two R⁸ substituents that are para to one another ~~or Ring B is a~~
~~naphthyl ring;~~ and

each R⁸ is independently selected from halo, C₁₋₄ alkyl, C₁₋₃ alkoxy, CO(C₁₋₃ alkyl),
CONH(C₁₋₃ alkyl), SO₂(C₁₋₃ alkyl), or SO₂NH(C₁₋₃ alkyl).


Claim 21. (Presently Amended)
group consisting of:

A compound according to claim 1 selected from the






10




15

11




16

12






17

14




18







19




20




21




22




23




24




25













26




















27




28








28




61


29




63




64







05




70




73




72











68



73





22

43

55










華


52

35


90

35







100




106




101




106




102




107




103




108




104




109




110




111




112




113




114




115




116




117




118




119




120




121




122




123




124




125



126




127




128


129




130




131




132




133




134




135













136




137









148




152




149




153




150




154







155




156




157




160




158












161












,



162







or a pharmaceutically acceptable salt thereof.

Claim 22. (Presently amended) A pharmaceutical composition comprising a compound according to claim 1 or salt thereof and a pharmaceutically acceptable carrier.

Claim 23. (Withdrawn, presently amended) A method of treating an MC4-R associated disorder in a patient in need thereof comprising administering to said patient a compound or salt of formula (I) in claim 1.

Claim 24. (Withdrawn, presently amended) A method of treating an MC4-R associated disorder in a patient in need thereof comprising administering to said patient a pharmaceutical composition comprising a compound or salt of formula (I) in claim 1.

Claim 25. (Withdrawn, presently amended) A method of treating a weight loss disorder in a subject identified as in need of such treatment comprising administering a compound or salt of formula (I) in claim 1.

Claim 26. (Withdrawn) The method of claim 25, wherein the weight loss disorder is a cachexia, aging involuntary weight loss, catabolic wasting, or anorexia.

Claim 27. (Withdrawn) The method of claim 26, wherein cachexia is cancer cachexia, cardiac cachexia, chronic illness cachexia, or AIDS cachexia.

Claim 28. (Withdrawn, presently amended) A method of treating a bone associated disorder in a subject identified as in need of such treatment comprising administering a compound or salt of formula (I) in claim 1.


Claim 29. (Withdrawn) The method of claim 28, wherein the bone associated disorder is osteoporosis, bone fractures, bone formation associated with surgical procedures, osteogenesis imperfecta, hypophosphatasia, Paget's disease, fibrous dysplasia, osteopetrosis, myeloma bone disease, or the depletion of calcium in bone.

Claim 30. (Withdrawn, presently amended) A method of treating a pain disorder in a subject identified as in need of such treatment comprising administering a compound or salt of formula (I) in claim 1.

Claim 31. (Withdrawn) The method of claim 30, wherein the neuronal disorder is neuropathic pain or allodynia.

Claim 32. (Withdrawn, presently amended) A method of inhibiting MC4-R activity in a patient in need thereof comprising administering to said patient a pharmaceutical composition comprising a compound or salt of formula (I) in claim.

Claim 33. (Previously presented)



or a salt thereof.

Claim 34. (Presently amended) A pharmaceutical composition comprising a compound or salt according to claim 33 and a pharmaceutically acceptable carrier.

Claim 35. (Withdrawn, presently amended) A method of treating an MC4-R associated disorder in a patient in need thereof comprising administering to said patient a compound or salt according to claim 33.